

 **GABWASH-FC**
AIR FILTER
TAKING CARE OF YOUR AIR

WWW.GABTIC.COM

GABTIC FULL FILTERS RANGE

 **GABCARB**
AIR FILTER

 **GABCLEAN**
AIR FILTER

 **GABMET**
AIR FILTER

 **GABAIR**
AIR FILTER

 **GABWASH**
AIR FILTER

 **GABTEX**
AIR FILTER

 **GABMET-FC**
AIR FILTER

 **GABCLEAN-TEX**
AIR FILTER

 **GABWASH-FC**
AIR FILTER



+2 01227333514
+2 38241940
+2 38241941
info@gabtlic.com


www.facebook.com/gabtlic
www.linkedin.com/company/engineering-and-supply
www.instagram.com/gabtlic.eg


POWERED BY
GABTIC®

WASHFC.VER.1.2024.EN.US

 **GABWASH-FC**
AIR FILTER

TAKING CARE OF YOUR AIR






INTORDUCING NEW GABTIC AIR FILTERS FAMILY


Innovate the air you breathe. Gabtic's commitment to pioneering technologies pushes the boundaries of air purification. We don't simply filter; we redefine the very essence of clean air, ushering in a new era of healthy living.

Welcome to the future of air. Gabtic's new line of air filters is more than just a product; it's a statement. A statement about prioritizing your health, embracing innovation, and living with the confidence that every breath is a pure expression of life.



 **GABWASH-FC**
AIR FILTER

WWW.GABTIC.COM



FEATURES

- Suitable for high humidity conditions
- Reusable, limited washability
- Lightweight and compact size
- High dust holding capacity
- Frame Can be made from, Galvanized, Aluminum or Stainless Steel



high humidity
conditions



Lightweight



Effeciency



Standard sizes



Washability


SPECIFICATIONS

- **Type:** Pre Filter
- **Filter class:** G3, G4. According to EN779
- **Recommended final Pressure Drop:** 250 Pa.
- **Frame:** Galvanized Steel
- **Temperature:** 80 C – 100 C maximum in continuous service.
- **Media:** Polyester fiber Protected by 2 grids
- **Application:** Prevention of dust and dirt build up on heating/cooling coils within ventilation

SIZES

DIMENSIONS (WxHxD) mm	FILTER CLASSIFICATION EN 779	MEDIA AREA	AIR FLOW / PRESSURE DROP M ³ /HR/PA
595X595X22	G3	0.356	3400/155
295X595X22	G3	0.174	1700/144
595X595X22	G4	0.356	3400/140
295X595X22	G4	0.174	1700/190

NOTE: OTHER SIZES ARE UPON REQUEST



ASHREA 52.2 VS EN779 CROSS REFERENCE

ASHRAE 52.2	EN779
MERV 1	EN779: G1
MERV 2	EN779: G2
MERV 3	EN779: G2
MERV 4	EN779: G2
MERV 5	EN779: G3
MERV 6	EN779: G3
MERV 7	EN779: G4
MERV 8	EN779: G4
MERV 9	EN779: G4

Gabtlic has a policy of continuous product research and improvement and reserves the right to change design and specifications without notice.